

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

LISTING OF CLAIMS:

1. (currently amended): A motor-driven power steering control apparatus, comprising:
 - steering state detecting means for detecting a steering state of a steering system;
 - motor drive command value arithmetic means for arithmetically determining a motor drive command value for an assist motor of said steering system on the basis of a detection signal outputted from said steering state detecting means;
 - trouble detecting means designed for outputting a trouble detection signal upon detection of a trouble in said motor-driven power steering control apparatus;
 - motor drive command value correcting means for processing said motor drive command value so that said motor drive command value is decremented from a predetermined initial value as a function of time lapse when the trouble detection signal is outputted from said trouble detecting means; and
 - motor driving means for driving said assist motor on the basis of the motor drive command value outputted from said motor drive command value correcting means,
 - wherein said motor drive command value correcting means includes
 - smoothing means for smoothing said motor drive command value outputted from said motor drive command value arithmetic means, and

wherein a value acquired through said smoothing means is employed as said predetermined initial value.

2. (original): A motor-driven power steering control apparatus according to claim 1, said smoothing means is implemented as a low-pass filter capable of dynamically changing over frequency filtering characteristics.

3. (withdrawn): A motor-driven power steering control apparatus according to claim 1, further comprising:
steering angle detecting means for detecting a steering state of said steering system,
wherein said motor drive command value correcting means is so designed that when said motor drive command value is processed to be decremented from said predetermined initial value as a function of time lapse, said motor drive command value correcting means processes said motor drive command value by taking into consideration decrementing of a steering angle detected by said steering angle detecting means.

4. (withdrawn): A motor-driven power steering control apparatus according to claim 1, further comprising:
steering neutral point detecting means for detecting a steering neutral point,
wherein said motor drive command value correcting means is so designed that when said steering neutral point detecting means detects the steering neutral point, said motor drive command value correcting means sets instantaneously to zero the motor drive command value which is being decremented from said predetermined initial value as a function of time lapse.

5. (currently amended): A motor-driven power steering control apparatus, comprising:

steering state detecting means for detecting a steering state of a steering system;

motor drive command value arithmetic means for arithmetically determining a motor drive command value for an assist motor of said steering system on the basis of a detection signal outputted from said steering state detecting means;

trouble detecting means designed for outputting a trouble detection signal upon detection of a trouble in said motor-driven power steering control apparatus;

motor drive command value correcting means for processing said motor drive command value so that said motor drive command value is decremented from a predetermined initial value as a function of time lapse when the trouble detection signal is outputted from said trouble detecting means; and

motor driving means for driving said assist motor on the basis of the motor drive command value outputted from said motor drive command value correcting means,

wherein said motor drive command value correcting means is so designed as to employ as said predetermined initial value a value whose maximum is previously limited.